

PRODUCT CATALOG 2022

KEOFITT CLASSIC INGOLD



KEOFITT®
WORLD LEADERS IN STERILE SAMPLING™

KEOFITT CLASSIC INGOLD SAMPLING VALVE

The KEOFITT CLASSIC INGOLD sampling valve is designed to fit bio-connectors type Ingold®. Designed for the sampling of medium viscosity products in the range of 0-1000 cP with particles less than 2 mm in diameter, it covers most needs for liquid sampling. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

This valve is used in a range of industries such as brewery, dairy, pharmaceutical and bio-tech for products such as:























- Medical solutions
- Filtered Beer
- Creams and lotions
- Unprocessed milk

Besides the selection of the Valve Body and the Valve Head there are three different membrane materials to choose from: Silicone, EPDM and PTFE.

Accessories include quick couplings for the connection of tubing, piping and more.



KEOFITT CLASSIC INGOLD SAMPLING VALVE - BODIES & HEADS

| INGOLD BODIES | STANDARD FOR 40 MM PORT LENGTH* | | STANDARD FOR 52 MM PORT LENGTH* | | INGOLD HEADS | TYPE H TURN KNOB 0-10 BAR(G) | | TYPE Q LEVER HANDLE 0-10 BAR(G) | | TYPE N LEVER HANDLE PNEUMATIC 0-10 BAR(G) | | TYPE N PNEUMATIC, ADJUSTABLE 0-10 BAR |
|---------------|---------------------------------|---|---|---|--------------|---|---|---|---|---|---|--|
| | HOSE PIECE | <i>on request</i> | <i>on request</i> | <i>on request</i> | |  |  |  |  |  |  | <i>on request</i> |
| | | | | | | 310041 | 320041 | 310043 | 320043 | 310044 | 320044 | |
| | MINI TRI-CLAMP |  |  |  | |  |  |  |  |  |  | <i>on request</i> |
| | | 310002 | 310005 | 320002 | | 310041E | 320041E | 310043E | 320043E | 310044E | 320044E | |
| | WELDING LINER | <i>on request</i> | <i>on request</i> | <i>on request</i> | |  |  |  |  |  |  | <i>on request</i> |
| | | | |  | | 315541 | 325541 | 315543 | 325543 | 315544 | 325544 | |
| | | | | 320007 | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

* OTHER PORT LENGTH - AVAILABLE ON REQUEST

KEOFITT CLASSIC INGOLD - PARTS & ACCESSORIES

| INGOLD - PARTS & ACCESSORIES | O-RINGS |  300118 EPDM 20.24X2.62 |  300119 20.24X2.62 FDA |  550184 FESTO | | | | | | | |
|------------------------------|--------------------|---|---|--|--|---|---|---|--|---|---|
| | MEMBRANES |  310051 SILICONE (I40) |  310052 EPDM (I40) |  310055 PTFE (I40) |  320051 SILICONE (I52) |  320052 EPDM (I52) |  320055 PTFE (I52) | | | | |
| | FOR MINI TRI-CLAMP |  300021 CLAMP PTFE 10/8 |  550004 PTFE TC 0.5M |  550005 PTFE TC 1.0M |  800014 ADAPTER MINI CLAMP/1" CLAMP |  800083 QC TC |  900013 MINI CLAMP SPIKE |  900096 ADAPTER HP/TC |  900097 ADAPTOR M4 HP/TC | | |
| | VALVE HEADS |  300255 TOOL PTFE (I40/I52) |  550002.2 PTFE TUBING W/ QC/TC 0.5M |  550003.2 PTFE TUBING W/ QC/TC 1 M |  600149 BUSHING |  600170 LEVER HANDLE Q/N |  600370 LEVER HANDLE SELF-CLOSING |  850840 PINOL SCREW F/ W9 HEAD |  900018 TOMMY BAR |  900074 GASKET EPDM 3/4" |  900087 GASKET EPDM 1/2" |
| | MISC. |  320530 ADAPTOR 30MM (I52)V |  320540 ADAPTOR 40 MM (I52) |  320830 ADAPTOR PTFE 50MM (I52) |  400166 PROXIMITY SWITCH FOR M4/ W9 |  600266 PROXIMITY SENSOR W9 CLOSED POS. |  600267 PROXIMITY SENSOR W9 MOUNTING KIT |  700108 HOSE PIECE W9 |  900021 BLIND CAP FOR MINI CLAMP |  900075 CLAMP RING 1/2" | |