

VALVE HEAD W15 TYPE N PTFE



ART. NO. 865544

GENERAL

The KEOFITT CLASSIC W15 Sampling Valve is designed for high viscosity sampling such as fruit pulp etc.. Design based on the original KEOFITT and based on one-piece-construction. Unique serial no. for each valve*.

Cleaning/sterilizing: Between batches: Valve in open position: Cleanable by means of CIP using the detergent solution suitable for the actual process media. Between samples: Valve in its normal closed position: cleanable by CIP as "Between batches" or the valve may be sterilized by means of steam SIP or chemical SIP using a procedure

The sampling valve can be used for any process sampling for microbiological, chemical and/or physical analysis.

Designed for sampling of liquids with a viscosity of up to approx. 50.000 cP containing no particles larger than Ø8 mm. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).

FEATURES



Installation: Clamp connection (clamp ring included, #900186)

Ope Mer

Operation: Pneumatically operated / Lever Handle (#600170)

106 mm

Membrane: PTFE (#860055)

Festo Fitting QSM-M5-4

CERTIFICATION*

Autoclavable.

· EU EC 1935/2004 · EU EC 2023/2006 · EU EC 10/2011 · DK No. 1248 10/2018 · ATEX 2014/34/EU

appropriate to the actual circumstances. For further advice, please contact Keofitt.

 \cdot PED 2014/68/EU \cdot FDA CFR 21 §177.1550 \cdot USP Class VI \cdot Keofitt DoC

TECHNICAL DATA

Material (process contact)

Membrane

Material (without process contact)

Steel parts
 Lever handle

AISI 316L (1.4404) AISI 316L (1.4404)

PTFE, WHITE (#860055)

Membrane

Article PTFE, WHITE (#860055)
 Certification* EU EC 1935/2004 · EU EC 2023/2006 · EU EC 10/2011
 DK No. 1248 10/2018 · FDA CFR 21 §177.1550 · USP Class VI
 ADI Free · Keofitt DoC

Pressure & Temperature

-	
 Pressure 	0 - 10 bar / 0 - 145 psi
 Temperature 	1 - 150°C / 34 - 302°F
 Air supply 	4 - 7 bar / 58 - 101 psi

Net Weight

∙ kg/lbs

0.835 kg/1.839 lbs

Spareparts

778644

PARTS FOR W15 HEAD 865544





m

72

*For further information and download please visit www.keofitt.dk

KEOFITT A/S reserves the right to change technical data without notice! Valid version of the data sheets is available on www.keofitt.dk.







