



The Public Health and Safety Organization

## NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, May 07, 2021** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=C0039296&Standard=061&>

### NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

**NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#). Click here for the definitions of [Water Contact Temperatures denoted in these Listings](#).**

#### Krohne Measurement Technology (Shanghai) Co., Ltd.

No. 555 Minshen Road  
Songjiang Industrial Zone  
Shanghai 201612  
China

86 216 760 0742

[Visit this company's website \(http://www.krohne.com\)](http://www.krohne.com)

**Facility :** Shanghai, China

#### Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
<b>Water Meters[1] [2]</b>			
Optiflux 2000 F	[3]	CLD 23	MLTPL
Optiflux 2010 C	[3]	CLD 23	MLTPL
Optiflux 2050 C	[3]	CLD 23	MLTPL
Optiflux 2070 C	[4]	CLD 23	MLTPL
Optiflux 2100 C	[3]	CLD 23	MLTPL
Optiflux 2300 C	[3]	CLD 23	MLTPL

Waterflux 3000 F[G]	[5]	CLD 23	MLTPL
Waterflux 3070 C[G]	[5]	CLD 23	MLTPL
Waterflux 3100 C[G]	[5]	CLD 23	MLTPL
Waterflux 3300 C[G]	[5]	CLD 23	MLTPL

- [1] Certified product contains Hastelloy C-22, Hastelloy C-4 or Stainless Steel 1.4571 electrodes and a hard rubber liner. The Optiflux 2000 F DN25 -DN150 meters may contain either a hard rubber liner or a polypropylene liner.
- [2] Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.
- [3] DN25 - DN3000/1" - 120"
- [4] DN50 - DN600/2" - 24"
- [5] DN25 - DN 600/1" - 24"
- [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

---

Number of matching Manufacturers is 1

Number of matching Products is 10

Processing time was 0 seconds