



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, May 07, 2021** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=2W910&Standard=061&>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#). Click here for the definitions of [Water Contact Temperatures denoted in these Listings](#).

KROHNE, Inc.

(<http://www.krohne.com>)

55 Cherry Hill Drive

Beverly, MA 01915

United States

800-356-9464

978-535-6060

[Visit this company's website \(http://www.krohne.com\)](http://www.krohne.com)

Facility : Beverly, MA

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Water Meters[1] [G]			
Waterflux 3000 F[2]	1" - 24"	CLD 23	MLTPL
Waterflux 3050 C[3]	1" - 24"	CLD 23	MLTPL
Waterflux 3070 C[3]	1" - 24"	CLD 23	MLTPL
Waterflux 3100 C[3]	1" - 24"	CLD 23	MLTPL
Waterflux 3300 C[3]	1" - 24"	CLD 23	MLTPL

[1] Product is available in sizes DN 25 - DN 600 / 1" - 24"

[2] Waterflux 3000 F

F - Remote Sensor

[3] Waterflux 3xxx C

C - Compact Water Meter

xxx - Electronic Converter Type IFC 050, IFC 070, IFC 100, or IFC 300

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : Embu-Sao Paulo, Brazil

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Water Meters[1] [G]			
ENVIROMAG 2000 F	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2000 Modular	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2050 C	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2050 W	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2100 C	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2100 C CSA	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2100 W	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2100 W CSA	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2300 C CSA	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2300 F CSA	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2300 R	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2300 R CSA	1" - 120"	CLD 23	MLTPL
ENVIROMAG 2300 W CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2000 C	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2000 F	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2000 KC MODULAR	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2000 Modular	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2050 C	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2050 CP	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2050 P	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2050 W	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2050 WP	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2100 C	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2100 C CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2100 W	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2100 W CSA	1" - 120"	CLD 23	MLTPL

OPTIFLUX 2300 C CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2300 F CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2300 R	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2300 R CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX 2300 W CSA	1" - 120"	CLD 23	MLTPL
OPTIFLUX KC 2000 F	1" - 120"	CLD 23	MLTPL
WATERFLUX 3050 WP	1" - 120"	CLD 23	MLTPL
Waterflux 3000 F	1" - 120"	CLD 23	MLTPL
Waterflux 3050 C	1" - 120"	CLD 23	MLTPL
Waterflux 3050 CP	1" - 120"	CLD 23	MLTPL
Waterflux 3050 P	1" - 120"	CLD 23	MLTPL
Waterflux 3050 W	1" - 120"	CLD 23	MLTPL
Waterflux 3100 C	1" - 120"	CLD 23	MLTPL
Waterflux 3100 W	1" - 120"	CLD 23	MLTPL
Waterflux 3300 C	1" - 120"	CLD 23	MLTPL
Waterflux 3300 F	1" - 120"	CLD 23	MLTPL
Waterflux 3300 W	1" - 120"	CLD 23	MLTPL

[1] Only products bearing the NSF Mark are Certified.

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Number of matching Manufacturers is 1

Number of matching Products is 48

Processing time was 1 seconds